

ABSTRACT

[Abstract]

[Problem]

5 To provide injection molded articles that are formed from plant-derived materials as main components and have heat resistance and high crystallization rates.

[Means for Solving]

10 The injection molded article of the present invention includes a resin composition containing: (A) a lactic acid based resin; and (B) a natural fiber that contains 40 mass% to 60 mass% of cellulose, 10 mass% to 30 mass% of lignin, wherein the resin composition contains the lactic acid based resin (A) and the natural fiber (B) in a mass ratio of 99:1 to 70:30,
15 and the lactic acid based resin (A) has a resin composition ratio of L-lactic acid:D-lactic acid=100:0 to 97:3, or L-lactic acid:D-lactic acid=0:100 to 3:97.

[Representative drawing] None.